BBQ GO IBT-2X

Smart Wireless BBQ Thermometer

Please keep this manual properly for reference. You can also

scan the QR code below to visit our official web site for

product usage videos. For any usage issues, please feel free

to contact us **at support@inkbird.com.**

Wenn Sie eine Bedienungsanleitung in deutscher Sprache

benötigen, scannen Sie bitte den QR-Code und besuchen Sie

unsere Website, um sie zu erhalten und ein Video über die

Verwendung des Produkts zu sehen.

Se avete bisogno di un manuale di istruzioni in italiano, scansionate il codice QR e visitate il nostro sito web per ottenerlo e vedere un video su come utilizzare il prodotto.

Si vous avez besoin d'un mode d'emploi en français, veuillez scanner le code QR pour visiter notre site officiel afin d'obtenir et de visionner la vidéo d'utilisation du produit !

Als je een Nederlandstalige handleiding nodig hebt, scan dan de QR-code om naar onze officiële website te gaan en bekijk de video over het gebruik van het product!

Si necesita el manual de instrucciones en español, escanee el código QR para ir a nuestro sitio web oficial y ver el vídeo sobre cómo utilizar el producto.

Warm tips

- To quickly jump to a specific chapter page, click on the relevant text on the contents page.

- You can also use the thumbnail or document outline in the top left corner to quickly find a specific page.

CATALOGUE

01 Get to know the device

Probe Indicator

Temperature Unit (°C / °F)

Current Temperature Value

Bluetooth Indicator

Power ON/OFF
Pairing Button
Stop Alarm Button

Battery Cover

Probe Sockets

Probe with cable

AAA Battery x 2
(Not Included)

This device provides 2 sockets for probes, which enable you to monitor 2 items at same time. If you need another probe besides the one in the standard package, please contact the dealer.

02 Put in the battery

Two AAA size batteries are needed for this device. Make sure they are put in the right direction by following the icons on the unit.

❶ Open the battery cover.

❷ Put in batteries, noticing the icons that show directions.

❸ Lock the battery cover.

03 Download the APP

Search the keyword 'bbq go' in Appstore or Google Play, or scan the following QR code with your phone.
Download and install it for free.

Make sure your phone meet the requirements:
iPhone 4S, and later models;
iPod touch 5th, ipad 3rd generations and later models, all ipad mini;
Android devices running version 4.4 or later, with blue-tooth 4.0 module.

BBQ GO APP

Android

IOS

04 Install the probes

The device will keep scanning the sockets when its power is switched on, the Probe Indicators will blink one by one from 1 to 2 where probes are plugged in.

Then insert the probes into the food, make sure the front tip of the probe is in the center of the food to get accurate temperature.

Probe 2   Probe 1

05 Pair with your phone

Bluetooth Indicator

❶ Press and hold the power button on the device for 3 seconds to power it on.

No Icon

❷ Keep the bluetooth switch of your phone on.

❸ Launch the app, and follow the instructions in the app to pair and activate the device.

Icon Blinking

❹ Connected successfully.

Icon Fixed

Once paired the device with your phone, you don't need to do it again, unless you change to other phones.

06 Enjoy your barbecue time

Choose the food type and preference for the food where each probe is inserted, the app and the device will display its current and target temperature.

When the food is ready, the app and the device will alarm.

Options

Device Setting

Preference Display

Probe Number

Current Temperature

Target Temperature

Home

BBQ 2X
87%

Fish Well Done

28°

63°

BBQ Smoke

31°

110°   102°

Temperature History

Connection Status

Timer

Preference Setup

The user interface of the app may be changed when upgraded. Please follow the instructions in the app.

07 Power ON/OFF

Power ON:
Press and hold the power button for 3 seconds.

Power OFF:
· Press and hold the power button for 3 seconds.
· Auto-off after 8 hours out of connection with phone.

08 Warning

- The max temperature is **0-300 °C/32° F ~ 572 ° F (Short-time measurement); 0-250°C/ 32° F~ 482 ° F (continuous monitoring)**,if exceed this temperature, the probe and the wire be burned-out. Especially,do not directly put the wire or the probe in the burning flame or heating tube

- **Do not** submerge the probe and the wire in water for a long time, which may cause the inaccurate temperature measuring.

- **Do not** strongly squeeze the probe and the wire, which may break the plastic covered wire on it and cause the short circuit on the polarity.

Sensor

Teflon cable
With stainless steel mesh
(Length: about 115cm / 3.8ft)

Non water-proof

App Store is a service mark of Apple Inc.
Google Play is a service mark of Google Inc.

09 FCC ID: 2ALANIBT-2X

This device complies with part 15 of the FCC Rules. Operation is subject to thefollowing two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsiblefor compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
-Reorient or relocate the receiving antenna.
-Increase the separation between the equipment and receiver.
-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-Consult the dealer or an experienced radio/TV technician for help.

10 IC Warning

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:
(1) This device may not cause interference.
(2)This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :
1)L'appareil ne doit pas produire de brouillage;
2)L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS-102 RF exposure, users can obtain Canadian information on RF exposure and compliance.
Le dispositif rencontre l'exemption des limites courantes d'évaluation dans la section 2.5 de RSS 102 etla conformité à l'exposition de RSS-102 rf, utilisateurs peut obtenir l'information canadienne surl'exposition et la conformité de rf.

This transmitter must not be co-located or operating in conjunction with any other antenna or
transmitter. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.
Cet émetteur ne doit pas être Co-placé ou ne fonctionnant en même temps qu'aucune autre antenne ouémetteur. Cet équipement devrait être installé et actionné avec une distance minimum de 20 centimètres entre le radiateur et votre corps.

11 Troubleshooting Guide

Issues	Causes	Solutions
Can't connect to Bluetooth.	1. Incorrect phone settings. 2. Incorrect operation 3. Device malfunction.	1. Turn on the Bluetooth and location permissions of the phone, and make sure that the permissions of app in the phone settings are all agreed. 2. The phone is not connected to other Bluetooth devices. 3. Clear the Bluetooth cache if possible.If it still does not work, please contact customer service.
Inaccurate temperature reading.	1. Large temperature difference in the environment. 2. The probe/probe wire is in direct contact with fire source or oven. 3. Water in the probe wire during cleaning.	Please put the probe and probe's cable (excluding the probe's plug) in a 150C/ 302 F oven for 30 minutes, then test it with boiling water. Please hang the probes and do not let it touch the container. If it still does not work, please contact customer service.

Shenzhen Inkbird Technology Co.,Ltd.

support@inkbird.com

Consignor: Shenzhen Inkbird Technology Co., Ltd.
Office Address: Room 1803, Guowei Building, No.68 Guowei Road,
Xianhu Community, Liantang, Luohu District, Shenzhen, China
Manufacturer: Shenzhen Inkbird Technology Co., Ltd.
Factory Address: Room 501, Building 138, No. 71, Yiqing Road, Xianhu
Community, Liantang Street, Luohu District, Shenzhen, China

V7.0

MADE IN CHINA
DESIGNED BY INKBIRD