

BBQ GO BT-4XC

Smart Wireless BBQ Thermometer



- To quickly jump to a specific chapter page, click on the relevant text on the contents page.
- You can also use the thumbnail or document outline in the top left corner to quickly find a specific page.

CATALOGUE

01	FAQ	1
02	Get to know the device	3
03	Charge the device ·····	4
04	Download the APP	4
05	Install the probes	5
06	Pair with your phone	5
07	FCC ID: 2ALANIBT-2X······	8
80	IC Warning ·····	9

01 FAQ

1. Why the probes display inaccurate temperature? Such as 572F or the screen displays '----'?

Answer. First please check the probes whether firmly inserted in the unit and you may hear a click sound. Customers really need push it hard in. Then change probes to insert in different ports to check if the probe itself has problem. Please make sure your probes firmly inserted, otherwise will display'-----' even if the cell phone pair with Bluetooth successfully.



2.Can I put this unit in high temperature places?

Answer. No, it can't. The plastic back magnet temperature should not over 80 $^{\circ}$ F/176F. Otherwise the unit will melt. Probe temperature range: 32 $^{\circ}$ F \sim 572 $^{\circ}$ F; (Short-time measurement); 32 $^{\circ}$ F \sim 482 $^{\circ}$ F (continuous monitoring)

3. Why cell phone can not search the app?

Answer. Please make sure your GPS is on(Android phone).

4.Why I need a 4 number pin code? What's correct steps to pair with cell phone?

Answer. This unit no need for pin code. Here are two solutions:

First, for some customers who have used our Inkbird other thermometers before, you have to delete the before record, then to pair with this product. Because one cell phone can only connect one unit at one time. Second, The correct procedure is activate your Bluetooth on your phone first, open the BBQGO APP to press the bottom start button to search, then press the on button of your units for about 4 seconds it should connect.

5.Can one unit be linked up to multiple phones or one phone connected with multiple units?

Answer. One phone can only connect with one unit at one time.

6 Are the probes and wires waterproof?


Answer. No. Only the meat ends are waterproof.

7.Does this unit have low/high temperature alarm function?

8. Is there any graphing or save of previous cook data?

Answer. It can only display the current cooking data. Which can't be saved or download

02 Get to know the device



This device provides 4 probe sockets, which enable you to monitor up to 4 food at same time.

03 Charge the device

This device use a built-in non-detachable lithium battery, usable charging and power supply. Please note that:



- The battery cannot be removed.
- 2 It takes about two hours to fully recharge.
- Please use the charger whose voltage is over 5V and current electric is over 1 A

04 Download the APP

Search the keyword "bbq go" in Appstore or Google Play, or scan the following QR code with your phone. Download and install it for free

Make sure your phone meet the requirements:

iPhone 4S, and later models:

iPod touch 5th, ipad 3rd generations and later models, all ipad mini;

Android devices running version 4.4 or later, with blue-tooth 4 0 module



BBQ GO APP



Android




IOS

05 Install the probes

The device will keep scanning the sockets when its power is switched on, the Probe Indicators will blink one by one from 1 to 4 where probes are plugged in.

Then insert the probes into the food, make sure the front tip of the probe is in the center of the food to get accurate temperature.



06 Pair with your phone

Bluetooth Indicator

Press and hold the power button on the device for 3 seconds to power it on.




- 2 Keep the bluetooth switch of your phone on.
- Launch the app, and follow the instructions in the app to pair and activate the device.




4 Connected successfully.

(Icon Fixed

Once paired the device with your phone, you don't need to do it again, unless you change to other phones.



- The max temperature is 0-300 °C/32° F ~ 572 ° F; (Short-time measure-ment); 0-250°C/ 32° F~ 482 ° F (continuous monitoring),if exceed this temperature, the probe and the wire be burned-out.
 Especially,do not directly put the wire or the probe in the burning flame or heating tube
- Do not submerge the probe and the wire in water for a long time, which may cause the inaccurate temperature measuring.
- Do not strongly squeeze the probe and the wire, which may break the plastic covered wire on it and cause the short circuit on the polarity.
- · Remove the silicone cover on the end of the sensor before using it.



07 FCC ID: 2ALANIBT-2X

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

08 IC Warning

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2)This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux

- CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :
- 1)L'appareil ne doit pas produire de brouillage;
- 2)L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

The device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS-102 RF exposure, users can obtain Canadian information on RF exposure and compliance.

Le dispositif rencontre l'exemption des limites courantes d'évaluation dans la section 2.5 de RSS 102 etla conformité à l'exposition de RSS-102 rf, utilisateurs peut obtenir l'information canadienne surl'exposition et la conformité de rf.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

Cet émetteur ne doit pas être Co-placé ou ne fonctionnant en même temps qu'aucune autre antenne ouémetteur. Cet équipement devrait être installé et actionné avec une distance minimum de 20 centimètres entre le radiateur et votre corps.

INKBIRD TECH.C.L.

support@inkbird.com

Factory address: 6th Floor, Building 713, Pengji Liantang Industrial Area, NO.2 Pengxing Road, Luohu District, Shenzhen, China Office address: Room 1803, Guowei Building, NO.68 Guowei Road, Xianhu Community, Liantang, Luohu District, Shenzhen, China













V3.0 MADE IN CHINA